



針狀推力軸承



NTB


針狀推力軸承



規 格 無內外輪 NTB	主要寸法(mm)			重量 (g)	基本動 定格荷重 C (kg)
	d	D	Da		
NTB 1024	10	24	2	3.3	730
NTB 1226	12	26	2	3.8	840
NTB 1528	15	28	2	4.1	880
NTB 1629	16	29	2	4.3	910
NTB 1730	17	30	2	4.5	930
NTB 1831	18	31	2	4.7	960
NTB 2035	20	35	2	6.1	1220
NTB 2542	25	42	2	8.2	1400
NTB 3047	30	47	2	9.4	1500
NTB 3552	35	52	2	10.6	1580
NTB 40603	40	60	3	22	2450
NTB 4565	45	65	3	24.5	2620
NTB 5070	50	70	3	26.5	2800
NTB 5578	55	78	3	33.5	3210
NTB 6085	60	85	3	38.5	3340
NTB 6590	65	90	3	41.5	3470
NTB 7095	70	95	4	61	4310
NTB 75100	75	100	4	65	4400
NTB 80105	80	105	4	68.5	4460
NTB 85110	85	110	4	72	4550
NTB 90120	90	120	4	92	5600
NTB 100135	100	135	4	119	6760
NTB 110145	110	145	4	129	7220
NTB 120155	120	155	4	139	7410
NTB 130170	130	170	5	225	10700

AS


針狀推力軸承



規 格 推力華詞 AS	主要寸法(mm)			重 量 (g)
	d	D	S	
AS 1024	10	24	1	2.9
AS 1226	12	26	1	3.2
AS 1528	15	28	1	3.4
AS 1629	16	29	1	3.6
AS 1730	17	30	1	3.7
AS 1831	18	31	1	3.9
AS 2035	20	35	1	5
AS 2542	25	42	1	6.9
AS 3047	30	47	1	7.9
AS 3552	35	52	1	8.9
AS 4060	40	60	1	12.1
AS 4565	45	65	1	13.3
AS 5070	50	70	1	14.5
AS 5578	55	78	1	18.5
AS 6085	60	85	1	22
AS 6590	65	90	1	23.5
AS 7095	70	95	1	25
AS 75100	75	100	1	26.5
AS 80105	80	105	1	28
AS 85110	85	110	1	29.5
AS 90120	90	120	1	38
AS 100135	100	135	1	50

WS


針狀推力軸承



規 格 (内輪) WS	主要寸法(mm)			重 量 'g'
	d	D	h	
WS 1024	10	24	2.75	8
WS 1226	12	26	2.75	8.9
WS 1528	15	28	2.75	9.3
WS 1629	16	29	2.75	9.8
WS 1730	17	30	2.75	10.2
WS 1831	18	31	2.75	10.7
WS 2035	20	35	2.75	13.8
WS 2542	25	42	3	21
WS 3047	30	47	3	24
WS 3052	30	52	4.25	45
WS 3552	35	52	3.5	31.5
WS 3562	35	62	5.25	81
WS 4060	40	60	3.5	42.5
WS 4068	40	68	5	89
WS 4565	45	65	4	53.5
WS 4573	45	73	5.5	108
WS 5070	50	70	4	58.5
WS 5078	50	78	5.5	118
WS 5578	55	78	5	93
WS 5590	55	90	7	225
WS 6085	60	85	4.75	105
WS 6095	60	95	7.5	240
WS 60130	60	130	8	650
WS 6590	65	90	5.25	124

WS


針狀推力軸承



規 格 (内輪) WS	主要寸法(mm)			重 量 (g)
	d	D	h	
WS 130185	130	185	12	1270
WS 130230	130	230	12	2650
WS 140180	140	180	9.5	740
WS 140195	140	195	12	1350
WS 140240	140	240	12	2790
WS 150190	150	190	9.5	790
WS 150205	150	205	12	1430
WS 150250	150	250	12	2940
WS 160200	160	200	9.5	840
WS 160270	160	270	12	3480
WS 170230	170	230	13	1900
WS 170280	170	280	12	3640
WS 180240	180	240	13	2000
WS 180310	180	310	12	4700
WS 190255	190	255	14	2480
WS 190320	190	320	12	4860
WS 200265	200	265	14	2590
WS 200340	200	340	12	5540

GS


針狀推力軸承



規 格 (外輪) GS	主要寸法(mm)			重 量 (g)
	d	D	h	
GS 1024	10	24	2.75	8
GS 1226	12	26	2.75	8.9
GS 1528	15	28	2.75	9.3
GS 1629	16	29	2.75	9.8
GS 1730	17	30	2.75	10.2
GS 1831	18	31	2.75	10.7
GS 2035	20	35	2.75	13.8
GS 2542	25	42	3	21
GS 3047	30	47	3	24
GS 3052	30	52	4.25	45
GS 3552	35	52	3.5	31.5
GS 3562	35	62	5.25	81
GS 4060	40	60	3.5	42.5
GS 4068	40	68	5	89
GS 4565	45	65	4	53.5
GS 4573	45	73	5.5	108
GS 5070	50	70	4	58.5
GS 5078	50	78	5.5	118
GS 5578	55	78	5	93
GS 5590	55	90	7	225
GS 6085	60	85	4.75	105
GS 6095	60	95	7.5	240
GS 60130	60	130	8	650

GS


針狀推力軸承



規 格 (外輪) GS	主要寸法(mm)			重 量 (g)
	d	D	h	
GS 6590	65	90	5.25	124
GS 65100	65	100	8	275
GS 7095	70	95	5.25	132
GS 70105	70	105	8	290
GS 70140	70	140	8	680
GS 75100	75	100	5.75	153
GS 75110	75	110	8	310
GS 80105	80	105	5.75	162
GS 80115	80	115	8.5	345
GS 80150	80	150	8	790
GS 85110	85	110	5.75	170
GS 85125	85	125	9.5	475
GS 90120	90	120	6.5	250
GS 90135	90	135	10.5	645
GS 90160	90	160	8	855
GS 100135	100	135	7	350
GS 100150	100	150	11.5	870
GS 100190	100	190	12	1920
GS 110145	110	145	7	380
GS 110160	110	160	11.5	950
GS 110200	110	200	12	2060
GS 120155	120	155	7	410
GS 120175	120	175	12	1190

GS


針狀推力軸承



規 格 (外輪) GS	主要寸法(mm)			重 量 (g)
	d	D	h	
GS 120220	120	220	12	2500
GS 130170	130	170	9	660
GS 130185	130	185	12	1270
GS 130230	130	230	12	2650
GS 140180	140	180	9.5	745
GS 140195	140	195	12	1350
GS 140240	140	240	12	2790
GS 150190	150	190	9.5	790
GS 150205	150	205	12	1430
GS 150250	150	250	12	2940
GS 160200	160	200	9.5	840
GS 160270	160	270	12	3480
GS 170230	170	230	13	1900
GS 170280	170	280	12	3640
GS 180240	180	240	13	2000
GS 180310	180	310	12	4700
GS 190255	190	255	14	2480
GS 190320	190	320	12	4860
GS 200265	200	265	14	2590
GS 200340	200	340	12	5540

AZ



針狀推力軸承



規格 AZ	主要寸法(mm)			重量 (g)	基本動 定格荷重 C(kg)
	d	D	H		
AZ 10249	10	24	9	24.6	950
AZ 12269	12	26	9	26.5	1020
AZ 15289	15	28	9	28	1080
AZ 17309	17	30	9	30.5	1140
AZ 203510	20	35	10	45.5	1840
AZ 254211	25	42	11	70	2360
AZ 304711	30	47	11	79	2680
AZ 305216	30	52	16	160	4040
AZ 355212	35	52	12	99	2840
AZ 356218	35	62	18	260	4900
AZ 406013	40	60	13	139	4050
AZ 406819	40	68	19	310	6630
AZ 456514	45	65	14	169	4150
AZ 457320	45	73	20	360	7430
AZ 507014	50	70	14	185	4400
AZ 507822	50	78	22	430	9730
AZ 557816	55	78	16	275	5140
AZ 559025	55	90	25	725	10800
AZ 608517	60	85	17	345	6600
AZ 609526	60	95	26	770	11200
AZ 6013026	60	130	26	2090	16400
AZ 659018	65	90	18	380	6900
AZ 6510027	65	100	27	860	11600
AZ 709518	70	95	18	420	7140

AZ


針狀推力軸承



規 格 AZ	主要寸法(mm)			重 量 (g)	基 本 動 定 格 荷 重 C (kg)
	d	D	H		
AZ 7010527	70	105	27	905	11900
AZ 7014026	70	140	26	2250	17400
AZ 7510019	75	100	19	465	7250
AZ 7511027	75	110	27	960	12500
AZ 8010519	80	105	19	495	7340
AZ 8011528	80	115	28	1060	12800
AZ 8015026	80	150	26	2500	18500
AZ 8511019	85	110	19	530	7500
AZ 8512531	85	125	31	1460	14400
AZ 9012022	90	120	22	790	9660
AZ 9013535	90	135	35	2040	18600
AZ 9016026	90	160	26	2710	19500
AZ 10013525	100	135	25	1190	13600
AZ 10015038	100	150	38	2720	22100
AZ 10019039	100	190	39	5960	34800
AZ 11014525	110	145	25	1350	14300
AZ 11016040	110	160	40	3220	28400
AZ 11020039	110	200	39	6400	37400
AZ 12015525	120	155	25	1450	14900
AZ 12017542	120	175	42	4020	32400
AZ 12022039	120	220	39	7730	42300
AZ 13017030	130	170	30	2180	17500
AZ 13018542	130	185	42	4300	33100
AZ 13023039	130	230	39	8240	43200

AZ


針狀推力軸承



規格 AZ	主要寸法(mm)			重量 (g)	基本動 定格荷重 C (kg)
	d	D	H		
AZ 14018031	140	180	31	2410	18200
AZ 14019542	140	195	42	4560	35600
AZ 14024039	140	240	39	8680	44500
AZ 15019031	150	190	31	2560	18400
AZ 15020542	150	205	42	4840	36200
AZ 15025039	150	250	39	9140	45800
AZ 16020031	160	200	31	2710	19100
AZ 16027039	160	270	39	10800	52000
AZ 17023045	170	230	45	6220	41300
AZ 17028039	170	280	39	11300	53500
AZ 18024045	180	240	45	6540	42500
AZ 18031039	180	310	39	14600	62900
AZ 19025548	190	255	48	8060	46800
AZ 19032039	190	320	39	15000	67300
AZ 20026548	200	265	48	8430	47300
AZ 20034039	200	340	39	17200	71600

AZK


針狀推力軸承



規 格 無內外輪 AZK	主要寸法(mm)			重量 (g)	基本動 定格荷重 C(kg)
	d	D	D_a		
AZK 10243.5	10	24	3.5	8.6	950
AZK 12263.5	12	26	3.5	8.8	1020
AZK 15283.5	15	28	3.5	9.3	1080
AZK 17303.5	17	30	3.5	10.1	1140
AZK 20354.5	20	35	4.5	18	1840
AZK 25425	25	42	5	28	2360
AZK 30475	30	47	5	31	2680
AZK 30527.5	30	52	7.5	70	4040
AZK 35525	35	52	5	36	2840
AZK 35627.5	35	62	7.5	98.5	4900
AZK 40606	40	60	6	54	4050
AZK 40689	40	68	9	130	6630
AZK 45656	45	65	6	62	4150
AZK 45739	45	73	9	145	7430
AZK 50706	50	70	6	68	4400
AZK 507811	50	78	11	192	9730
AZK 55786	55	78	6	87	5140
AZK 559011	55	90	11	275	10800
AZK 60857.5	60	85	7.5	134	6600
AZK 609511	60	95	11	290	11200
AZK 6013010	60	130	10	785	16400
AZK 65907.5	65	90	7	134	6900
AZK 6510011	65	100	11	310	11600

AZK


針狀推力軸承



規 格 無內外輪 AZK	主要寸法(mm)			重量 (g)	基本動 定格荷重 C (kg)
	d	D	Da		
AZK 70957.5	70	95	7.5	155	7140
AZK 7010511	70	105	11	325	11900
AZK 7014010	70	140	10	895	17400
AZK 751007.5	75	100	7.5	160	7250
AZK 7511011	75	110	11	340	12500
AZK 801057.5	80	105	7.5	171	7340
AZK 8011511	80	115	11	365	12800
AZK 8015010	80	150	10	915	18500
AZK 851107.5	85	110	7.5	192	7500
AZK 8512512	85	125	12	505	14400
AZK 901209	90	120	9	290	9660
AZK 9013514	90	135	14	750	18600
AZK 9016010	90	160	10	995	19500
AZK 10013511	100	135	11	490	13600
AZK 10015015	100	150	15	985	22100
AZK 10019015	100	190	15	2120	34800
AZK 11014511	110	145	11	590	14300
AZK 11016017	110	160	17	1320	28400
AZK 11020015	110	200	15	2280	37400
AZK 12015511	120	155	11	630	14900
AZK 12017518	120	175	18	1640	32400
AZK 12022015	120	220	15	2730	42300
AZK 13017012	130	170	12	860	17500

AZK

針狀推力軸承



規 格 無內外輪 AZK	主要寸法(mm)			重量 (g)	基本動 定格荷重 C(kg)
	d	D	Da		
AZK 13018518	130	185	18	1760	33100
AZK 13023015	130	230	15	2940	43200
AZK 14018012	140	180	12	920	18200
AZK 14019518	140	195	18	1860	35600
AZK 14024015	140	240	15	3100	44500
AZK 15019012	150	190	12	980	18400
AZK 15020518	150	205	18	1980	36200
AZK 15025015	150	250	15	3260	45800
AZK 16020012	160	200	12	1030	19100
AZK 16027015	160	270	15	3850	52000
AZK 17023019	170	230	19	2410	41300
AZK 17028015	170	280	15	4030	53500
AZK 18024019	180	240	19	2540	42500
AZK 18031015	180	310	15	5200	62900
AZK 19025520	190	255	20	3110	46800
AZK 19032015	190	320	15	5290	67300
AZK 20026520	200	265	20	3250	47300
AZK 20034015	200	340	15	6120	71600